



Hemmings FIFTH ANNUAL
Classic, Exotic & Muscle Car
CRUISE

A 12-NIGHT MEDITERRANEAN CRUISE
sailing from Rome, Italy, aboard the
Carnival Freedom
September 7-19, 2008

[CLICK FOR INFORMATION](#)



[Search All Classifieds](#)

Members: [Log in](#) | New User? [Register](#)



FEATURE ARTICLE from Hemmings Muscle Machines

[Home](#) > [Contents](#)

CHRYSLER A-518 OVERDRIVE TRANSMISSION


Hemmings Muscle Machines - JULY 1, 2006 - BY [JIM O'CLAIR](#)

 [Print This Article](#)

Converting your A-727 Chrysler transmission to a gas-sipping overdrive

With gasoline prices teetering around the \$3 mark, it makes sense to replace your old automatic transmission with a more modern overdrive unit so you and your car won't have to visit the pumps as often. In previous articles, we've touched on the use of an overdrive transmission to replace Ford and GM automatics. With the introduction of the A-518 Chrysler transmission in 1990, it's possible to perform this conversion with many Mopar, 1972-'78 AMC and two-wheel drive Jeeps that were originally equipped with a Chrysler 727 transmission.

The A-518 is also known as a 46RH transmission and was used extensively by Chrysler in



November Edition

Hemmings Motor Collectible Value

CPI Collectible Coin and Older Used Car Values

NOVEMBER

Here's value that'll carry your pocket

A quick & reference carry when you go.

the early to mid- '90s as a replacement for the A-727. It is the heavier-duty cousin of the A-500 overdrive, typically used behind V-6 engines in the mid-'90s. However, the A-518 is based on the A-727 and they share some things in common, which makes this conversion relatively easy and an economical alternative to converting to a different rear end or to a five-speed manual transmission. With an overdrive ratio of .069:1, the A-518 may save you up to 30 percent in gas mileage at highway speeds, but it also reduces wear and tear on the engine because it's turning 600 fewer rpm while in overdrive.

A later version of the A-518 is known as the 46RE, with E designating electronic. This computer-controlled transmission first appeared on 1996 models. The first generation 46RH transmission controls were hydraulically activated similar to the A-727 in appearance. Internals are different, however, and not many components are interchangeable. The overdrive gear was added to the tail shaft, explaining the longer tail shaft than the A-727. The A-518 also incorporated other internal upgrades. This transmission came in both two-wheel drive and four-wheel drive configurations but there is plenty of work involved in converting from one to the other, so we recommend you find a unit matching your existing drivetrain. Our article this month will focus on conversion to the 1990-'95 two-wheel-drive units. Gear ratios are as follows: first gear, 2.45:1; second gear, 1.45:1; third gear, 1.00:1; overdrive, 0.069:1; reverse, 2.21:1.

This transmission and the A-727 use the same 14-bolt oil pan and the oil screen inside the pan also is identical. This makes identification a little more difficult when the unit is removed. In this case, a tape measure comes in handy. The A-518 will be about 38 inches long, whereas the A-727 is about 35 inches. Also, the measurement from the block flange to the transmission-mounting block is 24-7/8 inches on the newer transmission instead of the 23-1/2 inches that was standard to the A-727. The 46RH transmissions that were used from 1990-'95 have a three-pin electrical connector on the driver's side of the transmission which controls two solenoids, the overdrive solenoid and the torque converter clutch solenoid. These two units are mounted inside the valve body on one common bracket. The 1996 and up model 46RE units have an 8-pin connector instead of the 3-pin, and are less desirable for converting into a non-computerized vehicle.

You can locate the A-518/46RH transmissions in these donor vehicles:

- 1990-'95 Dodge van with a 318 or 360 engine
- 1992-'95 Dakota with a 318 engine
- 1990-'91 Ramcharger with a 318 or 360 engine
- 1990-'95 Dodge pickup two-wheel drive (1/2- through 1-ton) with a 318 or 360

When finding one of these units, it's wise to take the shifting linkage in the case of a column-

Lists values
luxury, exoti
cars & trucks
2007. Older t
trucks 1946-
274 pages, s

ONLY \$9
(or by subs
updated ev

CLICK

shift vehicle or the floor shifter because linkage on the A-727 is not exactly the same as the A-518 and requires modification. The six-spline yoke on your existing A-727 driveshaft is the same for both units, although your existing driveshaft will have to be shortened about 3-1/2 inches to compensate for the longer tail shaft on the A-518. You'll also need the torque converter, which is of a lockup design. You cannot use your existing A-727 torque converter for this swap. Both transmissions used the standard Detroit 7260-style universal joint (Spicer # 5-1306X) on the front of the driveshaft. Rear U-joints would be the same unit for a 2-1/8-inch pinion yoke or could also be the Detroit 7290 series U-joint (Spicer # 5-1309X) if you have a 2-5/8-inch pinion yoke on the rear end. The starter and the flexplate are shared units, saving you time and money. The cross member will need to be modified, by cutting off the end sections of the crossmember and the fabrication of a new center section to compensate for the lower mounting location on the A-518. You can use a GM stud-type transmission mount (#10473052) to fabricate a crossmember that would have less offset than it will with the taller Mopar mount (#52019615).

What about the three wires hanging there? The overdrive and the torque converter lockout won't work unless you hook them up. Install a toggle switch on the dash and run the hot wire to the center pin on the 3-pin connector (the two outer connections are ground for the TCC solenoid and the OD solenoid) and run the two ground wires to the brake light switch. A more efficient way of doing it has been devised by Performance Automatic Transmission Center in Bossier City, Louisiana. Install a vacuum switch and two oil pressure switches, which allows the overdrive to engage before releasing torque-converter lockup. PATC's design calls for installing a 7-pound normally open vacuum switch, similar to those used to drive an hour meter, to a direct hot wire (with an inline fuse) off of the ignition switch. The hot wire out of this vacuum switch will run to the center pin of the three-pin connector. The vacuum switch will allow you to engage the torque converter lockup and the overdrive solenoid, if engine vacuum has reached seven pounds. It will also disengage both when you kick the throttle up and engine vacuum drops below 3 pounds. This allows you to revert back to third gear to pass a car or help the vehicle negotiate a hill. If you install two oil pressure switches, this will fine-tune the speeds at which the torque converter lockup engages (this keeps the transmission running cooler) and when the overdrive solenoid engages. These are installed in a pipe tee in the governor pressure tap, which has a pipe plug in this hole from the factory. This is on the passenger side of the transmission case, on a thick mounting rib, just below the upper tail shaft mounting bolt.

This article originally appeared in the JULY 1, 2006 issue of Hemmings Muscle Machines. [Order Backissues of Hemmings Muscle Machines Here.](#)



**PUT YOUR CAR
ON THE COVER!**

Just choose a magazine
and framing style –
we'll do the rest!
Click here for more details

The advertisement features a central banner with a green background. On the left, a framed Hemmings magazine cover is shown. To its right, the headline 'PUT YOUR CAR ON THE COVER!' is written in large, bold, red, italicized letters. Below this, the text 'Just choose a magazine and framing style – we'll do the rest!' is displayed in black, followed by a smaller line of text: 'Click here for more details'. On the right side of the banner, a sequence of images shows a blue classic car being placed into a white frame, then a red arrow pointing to a magazine cover with the car on it, and finally three different framed magazine covers (Sports & Exotic, Classic Car, and Muscle) with the car on their covers.

ONLINE: [Home](#) | [Classifieds](#) | [Parts Locator](#) | [Clubs](#) | [Online Tour](#) | [About Us](#) | [FAQs](#) | [Terms & Conditions](#) | [Privacy Policy](#) | [Contact Us](#)

SUBSCRIBE TO PRINT EDITIONS: [Hemmings Motor News](#) | [Hemmings Classic Car](#) | [Hemmings Sports and Exotic Car](#) | [Hemmings Muscle Machines](#)
Copyright © 1996-2007 Hemmings Motor News